

SMTP reply codes in numerical order

Code	Meaning
200	(nonstandard success response, see rfc876)
211	System status, or system help reply
214	Help message
220	Service ready
221	Service closing transmission channel
250	Requested mail action okay, completed
251	User not local; will forward to <forward-path>
354	Start mail input; end with <CRLF>.<CRLF>
421	Service not available, closing transmission channel
450	Requested mail action not taken: mailbox unavailable
451	Requested action aborted: local error in processing
452	Requested action not taken: insufficient system storage
500	Syntax error, command unrecognized
501	Syntax error in parameters or arguments
502	Command not implemented
503	Bad sequence of commands
504	Command parameter not implemented
521	Domain does not accept mail (see rfc1846)
530	Access denied
535	SMTP Authentication unsuccessful/Bad username or password
550	Requested action not taken: mailbox unavailable
551	User not local; please try <forward-path>
552	Requested mail action aborted: exceeded storage allocation
553	Requested action not taken: mailbox name not allowed
554	Transaction failed

Reply codes grouped by command

Command	Code	Description
CONNECT	220	<domain> Service ready
	421	<domain> Service not available, closing transmission channel
HELO	250	Requested mail action okay, completed
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	504	Command parameter not implemented
	521	<domain> does not accept mail [rfc1846]
	421	<domain> Service not available, closing transmission channel
EHLO	250	Requested mail action okay, completed
	550	Not implemented
	500	Syntax error, command unrecognised

	501	Syntax error in parameters or arguments
	504	Command parameter not implemented
	421	<domain> Service not available, closing transmission channel
MAIL		
	250	Requested mail action okay, completed
	552	Requested mail action aborted: exceeded storage allocation
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	421	<domain> Service not available, closing transmission channel
RCPT		
	250	Requested mail action okay, completed
	251	User not local; will forward to <forward-path>
	550	Requested action not taken: mailbox unavailable
	551	User not local; please try <forward-path>
	552	Requested mail action aborted: exceeded storage allocation
	553	Requested action not taken: mailbox name not allowed
	450	Requested mail action not taken: mailbox unavailable
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	503	Bad sequence of commands
	521	<domain> does not accept mail [rfc1846]
	421	<domain> Service not available, closing transmission channel
DATA		
	354	Start mail input; end with <CRLF>.<CRLF>
	451	Requested action aborted: local error in processing
	554	Transaction failed
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	503	Bad sequence of commands
	421	<domain> Service not available, closing transmission channel
	250	Requested mail action okay, completed
	552	Requested mail action aborted: exceeded storage allocation
	554	Transaction failed
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
RSET		
	200	(nonstandard success response, see rfc876)
	250	Requested mail action okay, completed
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	504	Command parameter not implemented
	421	<domain> Service not available, closing transmission channel
SEND		
	250	Requested mail action okay, completed

	552	Requested mail action aborted: exceeded storage allocation
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	502	Command not implemented
	421	<domain> Service not available, closing transmission channel
SOML		
	250	Requested mail action okay, completed
	552	Requested mail action aborted: exceeded storage allocation
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	502	Command not implemented
	421	<domain> Service not available, closing transmission channel
SAML		
	250	Requested mail action okay, completed
	552	Requested mail action aborted: exceeded storage allocation
	451	Requested action aborted: local error in processing
	452	Requested action not taken: insufficient system storage
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	502	Command not implemented
	421	<domain> Service not available, closing transmission channel
VERFY		
	250	Requested mail action okay, completed
	251	User not local; will forward to <forward-path>
	550	Requested action not taken: mailbox unavailable
	551	User not local; please try <forward-path>
	553	Requested action not taken: mailbox name not allowed
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	502	Command not implemented
	504	Command parameter not implemented
	421	<domain> Service not available, closing transmission channel
EXPN		
	250	Requested mail action okay, completed
	550	Requested action not taken: mailbox unavailable
	500	Syntax error, command unrecognised
	501	Syntax error in parameters or arguments
	502	Command not implemented
	504	Command parameter not implemented
	421	<domain> Service not available, closing transmission channel
HELP		
	211	System status, or system help reply
	214	Help message
	500	Syntax error, command unrecognised

	501	Syntax error in parameters or arguments
	502	Command not implemented
	504	Command parameter not implemented
	421	<domain> Service not available, closing transmission channel
NOOP		
	200	(nonstandard success response, see rfc876)
	250	Requested mail action okay, completed
	500	Syntax error, command unrecognised
	421	<domain> Service not available, closing transmission channel
QUIT		
	221	<domain> Service closing transmission channel
	500	Syntax error, command unrecognised
TURN		
	250	Requested mail action okay, completed
	502	Command not implemented
	500	Syntax error, command unrecognised
	503	Bad sequence of commands